

CHASE THE HORIZON



YEARS OF INNOVATION AND CRAFTSMANSHIP



MORE THAN A DECADE AGO WE PROMISED TO BUILD THE BEST BOATS IN THE WORLD.

WE'VE KEPT OUR PROMISE.

Our company was founded on a commitment to quality that guides us to this day. We are the only company in the world that manufactures its boats exclusively in-house, overseeing every aspect from start to finish, meeting or exceeding certified industry benchmarks and the standards for most globally recognized organizations. We keep meticulous records so there are never any surprises. Our ever-evolving quality-control measures ensure we always live up to our promise to build the best boats in the world.

DESIRABLE





REMARKABLE

DESIGNED TO GO THE DISTANCE



Audits

In our mission to deliver the highest-quality products to our customers, AB Inflatables submits the entire manufacturing processes to rigorous evaluations by third-party auditors. This means building under the strict surveillance of our quality certifications – NMMA for the USA, CE for Europe and ISO 9001 quality standards.



Traceability

Every boat we build comes with a unique history report that documents when it was made and the materials used. This quality-control system has helped us improve our production procedures and make significant product improvements throughout more than 50 years in business.



Innovation and Craftsmanship

AB Inflatables produces a full line of inflatable boats with the exceptional quality our customers have come to expect. Even the smallest details are handled with care. Everything we make is 100% handcrafted in-house, including the hull, tubes, rigging and inboard engine installations.



CHASE THE HORIZON



Born in 1969, AB Inflatables have over 50 years of non-stop production. Today, We are proud to say that our products have touched almost every corner of the globe and have earned the trust of thousands of customers.

Our vast network of representatives worldwide provides quick responses with a personal touch. We select companies known for their technical expertise, commitment to quality work and superior customer service. Customers will be backed up around the world with a high sense of collaboration through our network partners.

Our superior rigid inflatable boats (RIBs), manufactured with the highest quality materials and attention to detail, are recognized and admired worldwide. Designed for recreational use, commercial operations and jet segments, they are available in over 80 models.

Every AB model has a unique forward hull design that creates a raised bow and enhances performance by enabling easier planning with less horsepower. This allows the boat to cut through wakes and chop, virtually eliminating spray. The result is a smoother, more stable, and drier ride than any other inflatable boat on the market.





ABJET

JET TENDERS

ABJET 430






INNOVATION, PERFORMANCE, COMFORT & STYLE | POWERED BY BRP ROTAX® ENGINE (OEM) | 100% BUILT IN-HOUSE
INNOVATIVE DESIGN MAXIMIZES WEIGHT DISTRIBUTION | OPTIMIZED OVERALL PERSON CAPACITY | INTERNATIONAL SERVICE COVERAGE & WARRANTY

STANDARD FEATURES

- Integrated Marine Grade Aluminum Fuel Tank (gal.10 / 290,330) ; (gal.11 / 350,390) ; (gal.16 / 380,430) ; (gal.26 / 465)
- Diamond Non-Skid Deck
- Rear Seat with Ample Storage (290,330,380)
- Dual Rear Seat (350,390-465)
- Fully Upholstered Seating-Spradling®
- Console with Forward Seat (290,330)
- Console with Forward Seat and Storage (380)
- Integrated Bow Locker (330-465)
- Easy Port & Starboard Access
- Stainless Steel Port/Starboard Hand Rails (290,330,380)
- Integrated Stainless Steel Stern Hand Rails (350,390-465)
- Ample Engine Access
- Stainless Steel Bow Eye
- Fiberglass Bow Step with cushion, navigation lights and SS cleat (380-465)
- 2 Stern Stainless Steel Foldable Cleats
- (3) Stainless Steel Davit Lifting Points (290,350,390-465) ; (4) (330,380)
- Stainless Steel Ski-Eye & Stern Hand Rail (290,330,380)
- Stainless Steel Removable Ski-Pole & Stern Hand Rail (350, 390-465)
- Stainless Steel Transom Tie Downs
- Battery Box
- (2) Recessed Cup Holders (290,330,465) ; (1) (350,390,430) ; (3) (380)
- Water Tight Engine Compartment Seal
- Built-In Cooler with Drain (390-465)
- Removable lateral seat (350,390)
- INR - Intelligent Neutral and Reverse System (465)
- Orca® (CSM) Fabric
- Non-Corrosive Push-Push Inflation Valves
- (Single) Solid Rub Rail (290-390) ; (Double) (430,465)
- Reinforced External Seams
- Orca® (CSM) Fabric Handles on Tubes (330-465)
- Self Bailing Deck System with Non-Return Valves
- Stainless Steel Drain Plugs
- Automatic Fire Extinguisher
- Safety Lanyard Switch
- Automatic 500 GPH Bilge Pump
- Removable Pole Led Navigation & Anchor Light (290-350)
- Stainless Steel Led Navigation Light (380-465)
- Removable Pole Led Anchor Light (380-465)
- Power Reduction Key to 120HP (380-430)
- Battery Switch
- Maintenance-Free Battery
- Engine Compartment In-Line Blower
- Sport Steering Wheel (290,330,380)
- Sport Adjustable Steering Wheel (350,390-465)
- Steering System
- Complete Tin Wiring & (head) Heat Shrink Seal Terminals
- Control Panel (Includes fuel gauge)
- Shift Control (290-430) ; Electronic Shift Control (465)
- Stainless Steel Gas Springs for Engine Compartment
- Under Platform Sliding SS Ladder
- Hand Pump & Maintenance Kit
- Owner's Manual
- Rotax® ACE 90 ECT (290-350)
- Rotax® ACE 170 ECT (380-465)
- Catalytic Exhaust System
- Muffler & Silencer

OPTIONAL FEATURES

- Synthetic Teak
- Boat Cover
- Sunbed (430,465)
- Stereo System & Compass
- GPS Chart Plotter / Sounder
- Stainless Steel Tie Downs
- Quick Release Wheel
- Bimini Kit (350-465)
- Stainless Steel Anchor
- Name on Upholstery
- LED Courtesy Lights
- Battery Charger
- VHF & Antenna
- Upholstery and Inflatable Tube Color Options
- Adjustable Steering Wheel (290,330,380)
- Fiberglass Bow Step with SS cleat and navigation lights (290)
- Fiberglass Bow Step with cushion, navigation lights and SS cleat (330,350)


8 MODELS FROM 9-15 FEET	ABJET 290	ABJET 330	ABJET 350 XP	ABJET 380	ABJET 390	ABJET 430 XP	ABJET 465 XP
							
LENGTH	9'6" (2.9 M)	10'10" (3.3 M)	11'3,5" (3.44 M)	12'8" (3.86 M)	12'9,5" (3.9 M)	14'3" (4.35 M)	15' (4.56 M)
BEAM	5'7" (1.7 M)	5'8" (1.72 M)	5'10" (1.78 M)	5'10" (1.78 M)	5'11" (1.8 M)	6'4" (1.94 M)	6'7" (2.01 M)
INSIDE LENGTH	7' (2.13 M)	8'1" (2.45 M)	9'8" (2.95 M)	10'2" (3.1 M)	10'08" (3.25 M)	12' (3.64 M)	13' (3.96 M)
INSIDE BEAM	2'9" (0.84 M)	2'9" (0.84 M)	2'10" (0.86 M)	2'11" (0.89 M)	3' (0.91 M)	3'3" (0.99 M)	3'4" (1.01 M)
TUBE DIAMETER	16" (0.41 M)	16" (0.41 M)	16" (0.41 M)	17" (0.43 M)	17" (0.43 M)	18" (0.46 M)	18" (0.46 M)
CAPACITY PERSONS	4	5	5	6	7	7	8
WEIGHT	683 LBS (310 KG)	728 LBS (330 KG)	761 LBS (345 KG)	882 LBS (400 KG)	959 LBS (435 KG)	1102 LBS (500 KG)	1257 LBS (570 KG)
MAXIMUM HP	90	90	90	170	170	170	170



ABJET 450

DIESEL JET TENDERS

ABJET DIESEL 450



POWER, PERFORMANCE, COMFORT & LUXURY | POWERED BY YANMAR DIESEL ENGINE (OEM) | 100% BUILT IN-HOUSE
INNOVATIVE DESIGN, UNMATCHED ERGONOMICS | INTERNATIONAL SERVICE COVERAGE & WARRANTY


STANDARD FEATURES

- Integrated Marine Grade Aluminum Fuel Tank (gal.19)
- Diamond Non-Skid Deck
- Dual Pilot Seat
- Anodized Aluminum Retractable Armrests
- Fully Upholstered Seating-Spradling®
- Rear Seat with Ample Storage
- Integrated Bow Locker
- Easy Port & Starboard Access
- Integrated Stainless Steel Stern Rails
- Ample Engine Access
- Stainless Steel Bow Eye
- Fiberglass Bow Step with Cushion, Navigation Lights and SS Cleat
- 2 Stern Stainless Steel Foldable Cleats
- 3 Stainless Steel Davit Lifting Points
- Stainless Steel Removable Ski-Pole & Stern Hand Rail
- Stainless Steel Transom Tie Downs
- Battery Box
- 3 Recessed Cup Holders
- Water Tight Engine Compartment Seal
- Boarding Pole & Sockets (port and starboard)
- Folding Helm Console with Windshield
- 828 Orca® (CSM) Fabric
- Non-Corrosive Push-Push Inflation Valves
- Double Solid Rub Rail
- Reinforced External Seams
- Orca® (CSM) Fabric Handles on Tubes
- Self Bailing Deck System with Non-Return Valves
- Stainless Steel Drain Plugs
- Automatic Fire Extinguisher
- Safety Lanyard Switch
- Automatic 750 GPH Bilge Pump
- Removable Pole Led Anchor Light
- Yanmar YD42 Digital Gauge
- Battery Switch
- Maintenance-Free Battery
- Engine Compartment In-Line Blower
- Stylish Adjustable Steering Wheel
- Quick Release Wheel
- Hydraulic Steering System
- Complete Tin Wiring & (head) Heat Shrink Seal Terminals
- Single Lever Throttle with Electronic Control
- Stainless Steel Gas Springs for Engine Compartment
- Under Platform Sliding SS Ladder
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Yanmar 4JH110
- Turbocharged
- Silencer



OPTIONAL FEATURES

- Synthetic Teak
- Boat Cover
- Fresh Water Shower System
- Raymarine Axiom 7 - (7" Touch Screen Multifunction Display)
- Stainless Steel Tie Downs
- Bimini Kit
- Stainless Steel Anchor
- Name on Upholstery
- Name on Tubes
- LED Courtesy Lights
- Battery Charger
- Twin Battery Installation
- VHF & Antenna
- Upholstery and Inflatable Tube Color Options
- Single Point Lift



1 MODEL • 15 FEET

ABJET DIESEL 450

LENGTH	14'8" (4.47 M)
BEAM	6'8" (2.03 M)
INSIDE LENGTH	13'4" (4.06 M)
INSIDE BEAM	2'9" (1.1 M)
TUBE DIAMETER	16.5" (0.42 M)
CAPACITY PERSONS	7
WEIGHT	1,841 LBS (835 KG)
MAXIMUM HP	110
SHAFT LENGTH	N/A

NAUTILUS DLX

LUXURY CONSOLE TENDERS



NAUTILUS 17 DLX









PRESITIGIOUS YACHT TENDER | FULL FEATURED AND WELL-APPOINTED
COMFORTABLE, BUILT-IN, UPHOLSTERED SEATING | GRACEFUL LINES AND ELEGANT STYLING
BUILT-IN COOLERS AND AMPLE STORAGE | BUILT-IN MARINE GRADE ALUMINUM FUEL TANK

STANDARD FEATURES

- Mechanical steering system & Sport Steering Wheel (11-13)
- Hydraulic Steering System & Sport Steering Wheel (14-19)
- Standard Rigging from Factory
- Height Adjustable Steering Wheel (11, 12, 13, 17 & 19)
- 12V DC Socket & USB-C Port
- Stainless Steel Gas Springs
- Automatic Bilge Pump
- Master Switch
- Battery Charger (Subject to Country of Delivery)
- Fuel/Water Separator & Canister
- Fuel Sending Unit
- LED Courtesy Lights
- SS LED Navigation Light
- All Around LED Anchor Light
- Stainless Steel Bow Eye
- Bow Step
- Integrated Stainless Steel Bow rails
- Bow Locker with Cushioned Seating
- Fully Upholstered Seating-Spradling®
- Under-Seat Storage Compartments
- Built-In Cooler with Drain
- SS Cupholders & Plexiglass Windshield (11-17)
- 3 Stainless Steel Fold Down Cleats
- 3 Stainless Steel Davit Lifting Points
- Molded-In Fiberglass Rear Seat, Console & Seats
- Integrated Aluminum Fuel Tank
- Fresh Water System (14-19)
- Solid Single Rub Rail (11-12)
- Solid Double Rub Rail (13-19)
- Sunbathing Bed (17 & 19)
- Stainless Steel Tie Down Eyes
- Stainless Steel Tow Rings
- 3-Layer Reinforced Seams
- Orca (CSM) Coated Fabric
- Reinforced Orca (CSM) Fabric Handles on Tubes
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Removable Lateral Seat (11 & 12)
- Transom Ladder (13-15)
- Stern Recessed Foldable Ladder (17)

OPTIONAL FEATURES

- Sunbathing Bed (15)
- Height Adjustable Steering Wheel (14 & 15)
- Flip-Up Seat (13 to 19)
- Light Arch
- Bimini Top
- Synthetic Teak Floor
- Seadek® Foam Teak (Grey or Mocca)
- Compass
- Stereo System
- VHF Radio
- Rod Holders
- Stainless Steel Ski Tow (12 to 19)
- Cover
- Chock Set
- Console Cover
- Lifting Harness
- Color Boat Customization

8 MODELS FROM 11 TO 19 FEET	11 DLX	12 DLX	13 DLX	14 DLX	15 DLX	17 DLX	19 DLX	19 DLX-I/O
								
LENGTH	11' (3.35 M)	12' (3.66 M)	13' (3.96 M)	14' (4.27 M)	15' (4.57 M)	17' (5.18 M)	19' (5.79 M)	19' (5.79 M)
BEAM	6' (1.82 M)	6' (1.82 M)	6'5" (1.95 M)	6'6" (1.98 M)	6'9" (2.05 M)	8'1" (2.46 M)	8'4" (2.54 M)	8'4" (2.54 M)
INSIDE LENGTH	8' (2.44 M)	9'2" (2.79 M)	9'9" (2.97 M)	10'10" (3.30 M)	11'6" (3.50 M)	13'1" (4 M)	15'4" (4.67 M)	15'4" (4.67 M)
INSIDE BEAM	2'10" (0.86 M)	2'10" (0.86 M)	3'1" (0.94 M)	3'1" (0.94 M)	3'2" (0.97 M)	4'5" (1.35 M)	4'5" (1.35 M)	4'5" (1.35 M)
TUBE DIAMETER	17" (0.43 M)	17" (0.43 M)	18" (0.46 M)	19" (0.48 M)	19" (0.48 M)	20" (0.51 M)	22" (0.56 M)	22" (0.56 M)
CAPACITY PERSONS	4	5	5	6	6	10	12	10
WEIGHT	456 LBS (207 KG)	515 LBS (234 KG)	612 LBS (278 KG)	730 LBS (332 KG)	766 LBS (348 KG)	1250 LBS (568 KG)	1639 LBS (745 KG)	1551 LBS (705 KG)
RECOMMENDED HP	30	40	40	50	60	90	115	150
MAXIMUM HP	40	50	60	70	75	115	150	220



OCEANUS VST

FIBERGLASS CONSOLE TENDERS


FIBERGLASS SPORT CONSOLE RIB | OPEN AND SPACIOUS DESIGN | IDEAL FOR DIVING AND FISHING
LARGE CAPACITY FOR CREW AND EQUIPMENT | PRIMARY BOAT OR YACHT TENDER

STANDARD FEATURES

- Mechanical Steering System (12-15)
- Hydraulic Steering System (17-28)
- Standard Rigging from Factory
- Height Adjustable Steering Wheel (17 FE Version & 28)
- SS CUPHOLDERS (Except 17 BE version)
- 12V DC Socket & USB-C Port (17-28)
- Stainless Steel Gas Springs (17 FE Version, 19-28)
- SS LED Navigation Light
- All-Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Battery Charger (17 FE Version, 19-28) (Subject to Country of Delivery)
- Fuel/Water Separator & Canister
- Fuel Sending Unit
- Stainless Steel Bow Eye
- Bow Step with Cushion
- Stainless Steel Grab Handles on Tubes (Except 17 BE Version, 21-28)
- Bow Locker with Cushioned Seating
- Fully Upholstered Seating-Spradling®
- Under Seat Storage Compartments
- 3 Stainless Steel Fold Down Cleats
- 4 Stainless Steel Davit Lifting Points (Except 21-28)
- Fiberglass Console with & Grab Rail (12 VST)
- Fiberglass console with Windshield, Grab Rail & Forward Seat (13-17)
- Molded-In Rear Seat with Ample Storage
- Leaning Bolster (19-28)
- Integrated Aluminum Fuel Tank
- Fresh Water System (17 FE Version, 19-28)
- Bow Rider Seats (21 & 24)
- Stern Recessed Foldable Ladder (17 & 21)
- Stern Foldable Ladder (19)
- Solid Single Rub Rail (12)
- Solid Double Rub Rail (13-28)
- Stainless Steel Tow Rings
- 3-Layer Reinforced Seams
- Orca (CSM) Coated Fabric
- Reinforced Orca (CSM) Fabric Handles on Tubes
- Hand Pump
- Maintenance Kit
- Owner's Manual

OPTIONAL FEATURES

- Bow Rider Seats (17 & 28)
- Sunbathing Bed (17 & 21)
- Light Arch
- Bimini Top
- T-Top (19-28)
- Synthetic Teak Floor
- Seadek® Foam Teak (Grey or Mocca)
- Compass
- Stereo System
- VHF radio
- GPS
- Rod Holders
- Stainless Steel Ski Arch (14-28)
- Cover
- Lateral Tube Ladder
- Chock Set
- Console Cover
- Lifting Harness (Except 24 & 28)
- 4 Stainless Steel Davit Lifting Points (21-28)
- Fiberglass Console with Lateral Seat (13-17)
- Color Boat Customization
- Aventor Trim & Accents Design

9 MODELS FROM 12 TO 28 FEET	12 VST	13 VST	14 VST	15 VST	17 VST	19 VST	21 VST	24 VST	28 VST
									
LENGTH	12' (3.66 M)	13' (3.96 M)	14' (4.27 M)	15' (4.57 M)	17' (5.18 M)	19' (5.79 M)	21'4" (6.50 M)	24' (7.31 M)	27'4" (8.33 M)
BEAM	6'1" (1.86 M)	6'4" (1.94 M)	6'5" (1.96 M)	6'6" (1.99 M)	8'1" (2.46 M)	8'4" (2.53 M)	8'10" (2.70 M)	9'3" (2.82 M)	10'1" (3.07 M)
INSIDE LENGTH	9'2" (2.79 M)	9'9" (2.97 M)	10'10" (3.30 M)	11'6" (3.50 M)	13'1" (3.99 M)	14'11" (4.55 M)	17'3" (5.25 M)	19'3" (5.87 M)	22'11" (6.99 M)
INSIDE BEAM	2'10" (0.86 M)	3'1" (0.94 M)	3'1" (0.94 M)	3'2" (0.97 M)	4'2" (1.27 M)	4'4" (1.32 M)	4'9" (1.44 M)	5'4" (1.64 M)	6'4" (1.93 M)
TUBE DIAMETER	17" (0.43 M)	18" (0.46 M)	19" (0.48 M)	19" (0.48 M)	20" (0.51 M)	22" (0.56 M)	22" (0.56 M)	24" (0.61 M)	24" (0.61 M)
CAPACITY PERSONS	6	7	8	9	12	15	18	20	25
WEIGHT	405 LBS (184 KG)	477 LBS (217 KG)	510 LBS (232 KG)	605 LBS (275 KG)	1104 LBS (502 KG)	1252 LBS (569 KG)	1808 LBS (820 KG)	2213 LBS (1006 KG)	2853 LBS (1297 KG)
RECOMMENDED HP	40	40	50	60	90	115	150	150	250
MAXIMUM HP	50	60	70	75	115	150	225	250	500
SHAFT LENGTH	20" (50.8 CM)	20" (50.8 CM)	20" (50.8 CM)	20" (50.8 CM)	20" (50.8 CM)	25" (63.5 CM)	25" (63.5 CM)	25" (63.5 CM)	30" (76.2 CM)

MARES VSX

LIGHTWEIGHT FIBERGLASS CONSOLE TENDERS



MARES 11 VSX

FIBERGLASS SPORT CONSOLE RIB | IDEAL YACHT TENDER | LIGHTWEIGHT YET RUGGED CONSTRUCTION | AMPLE STORAGE

STANDARD FEATURES

- Mechanical Steering System and SS Wheel
- Standard Rigging from Factory
- Stainless Steel Bow Eye
- Bow Locker Seat & Cushion
- Fiberglass Console
- Foldable Console (10,11)
- Plexiglass Windshield
- SS LED Side Navigation Light
- All-Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Upholstered Seating-Spradling®
- Under-Seat Storage Compartments
- 4 Stainless Steel Davit Lifting Points
- Solid Single Rub Rail
- Stainless Steel Tow Rings
- Reinforced Orca (CSM) Fabric Handles on Tubes
- 3-Layer Reinforced Seams
- ORCA (CSM) Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Cupholder
- Removable Lateral Seat (11)
- Bow Locker Seat with Vent and Storage to Fit a 6 GAL Portable Fuel Tank (11)

OPTIONAL FEATURES

- Tube Chaps
- Cover
- Chock Set
- Bimini Top
- Lifting Harness
- Stereo System
- Compass
- GPS
- VHF Radio
- Bow Step with Stainless Steel Fold Down Cleat
- Lateral Stainless Steel Fold Down Cleat
- Color Boat Customization
- Hydraulic Steering System
- Synthetic Teak Floor
- Seadek® Foam Teak (Grey or Mocca)



REMOVABLE LATERAL SEAT


3 MODELS • 10, 11 & 12 FEET	10 VSX	11 VSX	12 VSX
LENGTH	10'6" (3.19 M)	11'4" (3.45 M)	12' (3.66 M)
BEAM	5'7" (1.72 M)	5'9" (1.77 M)	6' (1.82 M)
INSIDE LENGTH	7'7" (2.31 M)	8'1" (2.47 M)	8'9" (2.67 M)
INSIDE BEAM	2'8" (0.81 M)	2'8" (0.81 M)	2'9" (0.84 M)
TUBE DIAMETER	17" (0.43 M)	17" (0.43 M)	17" (0.43 M)
CAPACITY PERSONS	4	4	5
WEIGHT	287 LBS (130 KG)	317 LBS (144 KG)	337 LBS (153 KG)
RECOMMENDED HP	25	30	30
MAXIMUM HP	30	40	40
SHAFT LENGTH	15"-20" (38,1 CM - 50,8 CM)	20" (50,8 CM)	20" (50,8 CM)



NAVIGO VS

OPEN FIBERGLASS TENDERS

NAVIGO 12 VS






FULL-FEATURED OPEN TENDER | ATTRACTIVE NON-SKID DIAMOND PATTERN FLOOR | FOUR DAVIT LIFTING POINTS
LARGE BOW LOCKER WITH SEATING | DOUBLE FIBERGLASS HULL | DOUBLE RUB RAIL

STANDARD FEATURES

- Stainless Steel Bow Eye
- Bow Locker Seat with Vent & Storage to Fit a 6 gal Portable Fuel Tank (9-14)
- Under-Deck Channel for Fuel Line with SS Starburst (9-14)
- 4 Stainless Steel Davit Lifting Points
- Removable Rowing Seat (8-10)
- Removable Seat (12)
- Oarlock Base with Oarlocks (8-10)
- Paddles (12-19)
- Reinforced Orca (CSM) Fabric Handles on Tubes
- 820 ORCA (CSM) Coated Fabric (8-10)
- Additional Air Retaining Chamber Under Floor (8-14)
- Solid Single Rub Rail (8-12)
- Solid Double Rub Rail (13-19)
- Stainless Steel Tow Rings (Except 12-19)
- 3 Layer Reinforced Seams
- Hand Pump
- Maintenance Kit
- Owners's Manual

OPTIONAL FEATURES

- Portable Fuel Tank Installed in Bow Locker (9-14)
- Fiberglass Console
- Fiberglass Console with Forward Seat (13-19)
- Fiberglass Console with Lateral Seat (13-17)
- One-Person Jockey Seat
- Two-Person Jockey Seat (12-19)
- Bench Seat with Storage (9-17)
- Leaning Bolster (15-19)
- Mechanical Steering System
- Hydraulic Steering System
- Standard Rigging from the Factory
- SS LED Navigation Light
- All-Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fuel/Water Separator & Canister
- Integrated Fuel Tank (17-19)
- Bow Step with Stainless Steel Fold Down Cleat
- Lateral Stainless Steel Fold Down Cleat
- Bimini Top
- Cover
- Bow Hatch Cushion
- Tube Chaps
- Chock Set
- Color Boat Customization
- Seadek® Foam Teak (Grey or Mocca)

9 MODELS FROM 8 TO 19 FEET	8 VS	9 VS	10 VS	12 VS	13 VS	14 VS	15 VS	17 VS	19 VS
									
LENGTH	8'6" (2.60 M)	9'6" (2.90 M)	10'6" (3.19 M)	12' (3.66 M)	13' (3.96 M)	14' (4.27 M)	15' (4.57 M)	17' (5.18 M)	19' (5.79 M)
BEAM	5'4" (1.64 M)	5'7" (1.72 M)	5'7" (1.72 M)	6' (1.82 M)	6'4" (1.94 M)	6'4" (1.94 M)	6'6" (1.99 M)	8'1" (2.46 M)	8'4" (2.53 M)
INSIDE LENGTH	5'10" (1.79 M)	6'9" (2.06 M)	7'7" (2.31 M)	8'9" (2.67 M)	9'9" (2.97 M)	10'10" (3.30 M)	11'6" (3.50 M)	13'1" (4 M)	15'2" (4.62 M)
INSIDE BEAM	2'4" (0.72 M)	2'8" (0.81 M)	2'8" (0.81 M)	2'9" (0.84 M)	3'1" (0.94 M)	3'1" (0.94 M)	3'2" (0.97 M)	4'4" (1.33 M)	4'1" (1.25 M)
TUBE DIAMETER	16" (0.41 M)	17" (0.43 M)	17" (0.43 M)	17" (0.43 M)	18" (0.46 M)	19" (0.48 M)	19" (0.48 M)	20" (0.50 M)	22" (0.56 M)
CAPACITY PERSONS	4	4	5	6	7	8	11	15	15
WEIGHT	125 LBS (57 KG)	152 LBS (69 KG)	169 LBS (77 KG)	202 LBS (92 KG)	293 LBS (133 KG)	348 LBS (158 KG)	484 LBS (220 KG)	772 LBS (350 KG)	1157 LBS (526 KG)
RECOMMENDED HP	8	9.9	15	20	30	40	60	75	115
MAXIMUM HP	10	15	25	30	40	50	75	90	150
SHAFT LENGTH	15" (38.1 CM)	15" (38.1 CM)	15" (38.1 CM)	15"-20" (38.1 CM - 50,8 CM)	20" (50,8 CM)	20" (50,8 CM)	20" (50,8 CM)	20" (50,8 CM)	25" (63.5 CM)



VENTUS VL

LIGHTWEIGHT FIBERGLASS TENDERS

LIGHTWEIGHT FIBERGLASS TENDER | IDEAL SAILBOAT TENDER | EASILY TOWED AND LIFTED | FULL LENGTH DEEP “V” KEEL

STANDARD FEATURES

- Stainless Steel Bow Eye
- 3 Stainless Steel Davit Lifting Points
- Removable Rowing Seat (8-10)
- Removable Seat (12)
- Oarlock Base with Oarlocks (Except Model 12)
- Reinforced Orca (CSM) Fabric Handles on Tubes
- 820 ORCA (CSM) Coated Fabric
- Additional Air Retaining Chamber Under the Floor
- Single Rub Rail
- 3-Layer Reinforced Seams
- Non-Skid Rubber Floor Panels
- Hand Pump
- Maintenance Kit
- Owner's Manual

OPTIONAL FEATURES

- Bimini Top
- Cover
- Tube Chaps
- Chock Set
- Bow Step With Stainless Steel Fold Down Cleat
- Lateral Stainless Steel Fold Down Cleat
- Color Boat Customization
- Bow Bench Seat




4 MODELS • 8 TO 12 FEET	8 VL	9 VL	10 VL	12 VL
LENGTH	8'6" (2.60 M)	9'6" (2.90 M)	10'6" (3.19 M)	12' (3.66 M)
BEAM	5'6" (1.68 M)	5'7" (1.72 M)	5'7" (1.72 M)	5'10" (1.77 M)
INSIDE LENGTH	5'10" (1.79 M)	6'9" (2.06 M)	7'7" (2.31 M)	8'9" (2.67 M)
INSIDE BEAM	2'4" (0.72 M)	2'8" (0.81 M)	2'8" (0.81 M)	2'9" (0.84 M)
TUBE DIAMETER	16" (0.41 M)	17" (0.43 M)	17" (0.43 M)	17" (0.43 M)
CAPACITY PERSONS	4	4	5	6
WEIGHT	95 LBS (43 KG)	106 LBS (48 KG)	123 LBS (56 KG)	156 LBS (71 KG)
RECOMMENDED HP	8	9.9	15	20
MAXIMUM HP	10	15	25	30
SHAFT LENGTH	15" (38.1 CM)	15" (38.1 CM)	15" (38.1 CM)	15" (38.1 CM)



ALUMINA ALX

ALUMINUM CONSOLE TENDERS

ALUMINA 15 ALX






ALUMINUM HULL SPORT CONSOLE RIB | LIGHT WEIGHT YET RUGGED CONSTRUCTION
REQUIRES LESS HORSEPOWER | DURABLE ENOUGH FOR ROCKY SHORES AND CORAL REEFS

STANDARD FEATURES

- Marine Grade Aluminum Hull
- Chrome Free-Advanced Pretreatment & Powder Coating Technology
- Double-Purpose Folding Backrest (13-18)
- Integrated aluminum with reat seat with Splash-Well (9.5-10)
- Mechanical Steering System & Sport Steering Wheel (Except 18 With Hydraulic)
- SS LED Navigation Light
- All Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fuel/Water Separator & Canister
- Fuel Sending Unit (15-18)
- Portable 6 Gal Fuel Tank Installed In Bow Locker (9.5-14)
- Integrated Fuel Tank (15-18)
- Stainless Steel Gas Springs
- Solid Single Rub Rail (9.5-12)
- Solid Double Rub Rail (13-18)
- Seadek® Foam Teak (Grey Or Mocca)
- Bow Eye
- Davit Lifting Points
- Tow Rings
- Orca (CSM) Coated Fabric
- Reinforced Orca (CSM) Fabric Handles On Tubes
- Fully Upholstered Seating-Spradling®
- Fiberglass Console With Grab Rail (9.5-12)
- Fiberglass Console With Windshield, Grab Rail & Forward Seat (13-18)
- Bench Seat With Storage (9.5-10)
- Integrated Aluminum Rear Seat With Splash-Well (11-18)
- Bow Locker with Cushioned Seating
- 3 Stainless Steel Fold Down Cleats (Except 9.5 & 10 With 1)
- Bow Step With Cushion
- Stern Ladder (13-18)
- SS Cupholders
- 12 V DC Socket & USB-C Port
- LED Courtesy Lights (Except 9.5-10)
- Standard Rigging From Factory
- 3 Layer Reinforced Seams
- Rubber Keel Protector
- Hand Pump
- Maintenance Kit
- Owner's Manual

OPTIONAL FEATURES

- Tube Chaps
- Cover
- Chock Set
- Bimini Top
- Lifting Harness
- Synthetic Teak
- Stereo System
- Courtesy Lights (9.5-10)
- Compass
- Gps
- VHF Radio
- Removable Lateral Console Seat (13-16)
- Color Boat Customization
- Aventura Trim & Accents Seat Design

9 MODELS FROM 9.5 TO 18 FEET	9.5 ALX	10 ALX	11 ALX	12 ALX	13 ALX	14 ALX	15 ALX	16 ALX	18 ALX
									
LENGTH	9'6" (2.90 M)	10'6" (3.19 M)	11'6" (3.50 M)	12' (3.66 M)	13' (3.96 M)	14' (4.27 M)	15' (4.57 M)	16' (4.88 M)	18' (5.49 M)
BEAM	5'6" (1.68 M)	5'6" (1.68 M)	5'7" (1.70 M)	6'1" (1.85 M)	6'7" (2 M)	6'7" (2 M)	6'9" (2.06 M)	7' (2.14 M)	7'10" (2.40 M)
INSIDE LENGTH	6'11" (2.11M)	7'6" (2.30 M)	8'6" (2.60 M)	8'10" (2.70 M)	9'10" (3 M)	10'10" (3.30 M)	11'8" (3.55 M)	13'2" (4.01 M)	14'8" (4.47 M)
INSIDE BEAM	2'6" (0.76 M)	2'8" (0.81 M)	2'8" (0.81 M)	2'11" (0.89 M)	3'3" (0.99 M)	3'3" (0.99 M)	3'4" (1.03 M)	3'6" (1.08 M)	4'3" (1.30 M)
TUBE DIAMETER	17" (0.43 M)	17" (0.43 M)	17" (0.43 M)	17" (0.43 M)	18" (0.46 M)	19" (0.48 M)	19" (0.48 M)	20" (0.51 M)	21" (0.53 M)
CAPACITY PERSONS	5	5	5	6	7	8	9	10	12
WEIGHT	258 LBS (117 KG)	278 LBS (126 KG)	300 LBS (136 KG)	337 LBS (153 KG)	452 LBS (205 KG)	472 LBS (214 KG)	604 LBS (274 KG)	657 LBS (298 KG)	957 LBS (434 KG)
RECOMMENDED HP	15	15	20	25	30	40	50	50	90
MAXIMUM HP	25	25	40	40	50	60	70	70	115
SHAFT LENGTH	20" (50.8 CM)	20" (50.8 CM)	20" (50.8 CM)	20" (50.8 CM)	20" (50.8 CM)	20" (50.8 CM)	20" (50.8 CM)	20" (50.8 CM)	25" (63.5 CM)



LAMMINA AL

ALUMINUM TENDERS

LAMMINA 10 AL





ALUMINUM HULL OPEN TENDER | LIGHTWEIGHT YET RUGGED CONSTRUCTION | PERFECT FOR LIMITED CAPACITY DAVITS
IDEAL SAILBOAT TENDER | DURABLE ENOUGH FOR ROCKY SHORES AND CORAL REEFS

STANDARD FEATURES

- Marine Grade Aluminum Hull
- Chrome Free-Advanced Pretreatment & Powder Coating Technology
- Single Rub Rail (8-10)
- Solid Single Rub Rail (11-12)
- Solid Double Rub Rail (13-16)
- Bow Eye
- Aluminum Davit Lifting Points
- Removable Rowing Seat (8-10)
- Removable Seat (11-16)
- Oarlock Base With Oarlocks (8-10)
- Orca (CSM) Coated Fabric
- 820 Orca (CSM) Coated Fabric (8-10)
- Seadek® Eva Foam Non-Skid Floor
- Tow Rings
- 3 Layer Reinforced Seams
- Rubber Keel Protector
- Hand Pump
- Maintenance Kit
- Owner's Manual

OPTIONAL FEATURES

- Bow Locker/Seat With Cushion
- Portable Fuel Tank Installed In Bow Locker (9-16)
- Fiberglass Console
- Fiberglass Console With Forward Seat
- Fiberglass Console With Lateral Seat
- One Person Jockey Seat
- Two Person Jockey Seat
- Bench Seat With Storage
- Bow Step With Stainless Steel Fold Down Cleat
- Lateral Stainless Steel Fold Down Cleat
- Bimini Top
- Cover
- Tube Chaps
- Chock Set
- Mechanical Steering System
- Hydraulic Steering System
- Standard Rigging From Factory
- SS LED Navigation Light
- All Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fuel / Water Separator & Canister
- Color Boat Customization
- Seadek® Foam Teak

10 MODELS FROM 8 TO 16 FEET	8 AL	9 AL	9.5 AL	10 AL	11 AL	12 AL	13 AL	14 AL	15 AL	16 AL
										
LENGTH	8'5" (2.56 M)	9'1" (2.76 M)	9'6" (2.90 M)	10'6" (3.19 M)	11'6" (3.50 M)	12' (3.66 M)	13' (3.96 M)	14' (4.27 M)	15' (4.57 M)	16' (4.88 M)
BEAM	4'9" (1.45 M)	4'9" (1.45 M)	5'6" (1.68 M)	5'6" (1.68 M)	5'7" (1.70 M)	6'1" (1.85 M)	6'7" (2 M)	6'7" (2 M)	6'9" (2.06 M)	7' (2.14 M)
INSIDE LENGTH	5'10" (1.79 M)	6'3" (1.90 M)	6'11" (2.11 M)	7'6" (2.30 M)	8'6" (2.60 M)	8'10" (2.70 M)	9'10" (3 M)	10'10" (3.30 M)	11'8" (3.55 M)	13'2" (4 M)
INSIDE BEAM	2' (0.62 M)	2'2" (0.66 M)	2'6" (0.76 M)	2'8" (0.81 M)	2'8" (0.81 M)	2'11" (0.89 M)	3'3" (0.99 M)	3'3" (0.99 M)	3'4" (1.03 M)	3'6" (1.08 M)
TUBE DIAMETER	15" (0.37 M)	15" (0.37 M)	17" (0.43 M)	17" (0.43 M)	17" (0.43 M)	17" (0.43 M)	18" (0.46 M)	19" (0.48 M)	19" (0.48 M)	20" (0.51 M)
CAPACITY PERSONS	4	4	5	5	6	6	7	8	9	10
WEIGHT	86 LBS (39 KG)	90 LBS (41 KG)	110 LBS (50 KG)	126 LBS (57 KG)	170 LBS (77 KG)	198 LBS (90 KG)	242 LBS (110 KG)	256 LBS (116 KG)	348 LBS (158 KG)	390 LBS (177 KG)
WEIGHT WITH BOW LOCKER	99 LBS (45 KG)	106 LBS (48 KG)	128 LBS (58 KG)	143 LBS (65 KG)	187 LBS (85 KG)	216 LBS (98 KG)	264 LBS (120 KG)	282 LBS (128 KG)	377 LBS (171 KG)	421 LBS (191 KG)
RECOMMENDED HP	4	8	8	10	20	25	30	40	50	50
MAXIMUM HP	6	10	15	20	30	30	40	50	60	70
SHAFT LENGTH	15" (38.1 CM)	15" (38.1 CM)	15" (38.1 CM)	15" (38.1 CM)	20" (50.8 CM)	20" (50.8 CM)	20" (50.8 CM)	20" (50.8 CM)	20" (50.8 CM)	20" (50.8 CM)



LAMMINA UL

ULTRA LIGHT ALUMINUM TENDERS

LAMMINA 7.5 UL

ALUMINUM HULL OPEN TENDER | ULTRA-LIGHT AND SPACIOUS | IDEAL SAILBOAT TENDER | EXCEPTIONALLY REASONABLE PRICING





STANDARD FEATURES

- Marine Grade Aluminum Hulls
- Seadek® Eva Foam Non-Skid Floor
- 820 (8-10) Orca (CSM) Coated Fabric
- Bow Eye
- Aluminum Davit Lifting Points
- Single Rub Rail
- Orca (CSM) Coated Fabric
- Removable Rowing Seat
- Oarlock Base With Oarlocks
- 3 Layer Reinforced Seams
- Hand Pump
- Maintenance Kit
- Owner's Manual

OPTIONAL FEATURES

- Cover
- Tube Chaps
- Chock Set
- Chrome Free - Advanced Pretreatment & Powder Coating Technology
- Color Boat Customization
- Bow Bench Seat



4 MODELS • 7.5 TO 10 FEET	7.5 UL	8 UL	9 UL	10 UL
				
LENGTH	7'10" (2.39 M)	8'5" (2.56 M)	9'1" (2.76 M)	10' (3.05 M)
BEAM	4'11" (1.50 M)	4'11" (1.50 M)	4'11" (1.50 M)	5'6" (1.68 M)
INSIDE LENGTH	5'5" (1.65 M)	5'10" (1.79 M)	6'3" (1.90 M)	7'2" (2.18 M)
INSIDE BEAM	2'2" (0.66 M)	2'2" (0.66 M)	2'3" (0.70 M)	2'8" (0.81 M)
TUBE DIAMETER	16" (0.41 M)	15" (0.37 M)	15" (0.37 M)	17" (0.43 M)
CAPACITY PERSONS	3	4	4	5
WEIGHT	72 LBS (33 KG)	77 LBS (35 KG)	84 LBS (38 KG)	94 LBS (43 KG)
RECOMMENDED HP	3	4	8	9.9
MAXIMUM HP	4	5	10	15
SHAFT LENGTH	15" (38.1 CM)	15" (38.1 CM)	15" (38.1 CM)	15" (38.1 CM)



AB RIDER

JOCKEY STYLE RIDER

AB RIDER




STANDARD FEATURES

- Stainless Steel Bow Eye
- Under Seat Storage Compartment
- Large Anchor Locker
- 4 Stainless Steel Davit Lifting Points
- Integrated Jockey Seat
- Solid Single Rub Rail
- Fully Upholstered Seating-Spradling®
- Stainless Steel Tow Rings
- 3 Layer Reinforced Seams
- Standard Rigging From Factory
- Orca (CSM) Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Mechanical Steering System And SS Wheel

OPTIONAL FEATURES

- Cover
- Color Boat Customization



LENGTH	10'6" (3.20 M)
BEAM	5'9" (1.76 M)
INSIDE LENGTH	7'9" (2.37 M)
INSIDE BEAM	2'10" (0.86 M)
TUBE DIAMETER	17" (0.43 M)
CAPACITY PERSONS	4
WEIGHT	273 LBS (124 KG)
RECOMMENDED HP	25
MAXIMUM HP	30
SHAFT LENGTH	20" (50.8 CM)



UNSTOPPABLE

28 ABINFLATABLES.COM

ISO 9001
BUREAU VERITAS
Certification



CO 22.07424



***AVAILABLE FOR SHORT AND LONG SHAFT ENGINES

C0 22.0742

A circular seal with a double-lined border. Inside the border, the words "WRITTEN FABRIC" are at the top and "YEAR WARRANTY" is at the bottom, both in a sans-serif font. In the center of the seal is a large, bold number "10".

ABINFLATABLES.COM 29

SPECIFICATIONS

		MARES			VENTUS				ALUMINA								AB RIDER	
		10 VSX	11 VSX	12 VSX	8 VL	9 VL	10 VL	12 VL	9.5 ALX	10 ALX	11 ALX	12 ALX	13 ALX	14 ALX	15 ALX	16 ALX	18 ALX	AB RIDER
LENGTH																		
OVERALL	ft/in	10' 6"	11' 4"	12'	8' 6"	9' 6"	10' 6"	12'	9' 6"	10' 6"	11' 6"	12'	13'	14'	15'	16'	18'	10' 6"
	m	3.19	3.45	3.66	2.60	2.90	3.19	3.66	2.90	3.19	3.50	3.66	3.96	4.27	4.57	4.88	5.49	3.20
INSIDE	ft/in	7' 7"	8' 1"	8' 9"	5' 10"	6' 9"	7' 7"	8' 9"	6' 11"	7' 6"	8' 6"	8' 10"	9' 10"	10' 10"	11' 8"	13' 2"	14' 8"	7' 9"
	m	2.31	2.47	2.67	1.79	2.06	2.31	2.67	2.11	2.30	2.60	2.70	3.00	3.30	3.55	4.01	4.47	2.37
BEAM																		
OVERALL	ft/in	5' 7"	5' 9"	6'	5' 6"	5' 7"	5' 7"	5' 10"	5' 6"	5' 6"	5' 7"	6' 1"	6' 7"	6' 7"	6' 9"	7'	7' 10"	5' 9"
	m	1.72	1.77	1.82	1.68	1.72	1.72	1.77	1.68	1.68	1.70	1.85	2.00	2.00	2.06	2.14	2.40	1.76
INSIDE	ft/in	2' 8"	2' 8"	2' 9"	2' 4"	2' 8"	2' 8"	2' 9"	2' 6"	2' 8"	2' 8"	2' 11"	3' 3"	3' 3"	3' 4"	3' 6"	4' 3"	2' 10"
	m	0.81	0.81	0.84	0.72	0.81	0.81	0.84	0.76	0.81	0.81	0.89	0.99	0.99	1.03	1.08	1.30	0.86
AREA																		
INTERNAL AREA	sq.ft.	20.14	21.54	24.14	13.87	17.96	20.14	24.14	17.26	20.05	22.67	25.87	31.97	35.17	39.36	46.62	62.53	21.94
	m2	1.87	2.00	2.24	1.29	1.67	1.87	2.24	1.60	1.86	2.11	2.40	2.97	3.27	3.66	4.33	5.81	2.04
MAX TUBE DIAMETER																		
	ft/in	17"	17"	17"	16"	17"	17"	17"	17"	17"	17"	17"	18"	19"	19"	20"	21"	17"
	m	0.43	0.43	0.43	0.41	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.46	0.48	0.48	0.51	0.53	0.43
NUMBER OF CHAMBERS																		
		3	3	3	3+1	3+1	3+1	3+1	3	3	3	3	3	4	5	5	5	3
CAPACITY																		
PERSONS		4	4	5	4	4	5	6	5	5	5	6	7	8	9	10	12	4
PAYLOAD	lbs	1408	1876	1895	1115	1393	1514	1975	1333	1441	1576	1920	1997	2268	2557	2599	3053	1344
	kg	639	851	860	506	632	687	896	605	654	715	871	906	1029	1160	1179	1385	610
WEIGHT																		
	lbs	287	317	337	95	106	123	156	258	278	300	337	452	472	604	657	957	273
	kg	130	144	153	43	48	56	71	117	126	136	153	205	214	274	298	434	124
WITH BOW LOCKER	lbs																	
	kg																	
ENGINE																		
RECOMMENDED	hp	25	30	30	8	9.9	15	20	15	15	20	25	30	40	50	50	90	25
	kW	18.7	22.4	22.4	6.0	7.4	11.2	14.9	11.2	11.2	14.9	18.7	22.4	29.8	37.3	37.3	67.1	18.7
MAX	hp	30	40	40	10	15	25	30	25	25	40	40	50	60	70	70	115	30
	kW	22.4	29.8	29.8	7.5	11.2	18.7	22.4	18.7	18.7	29.8	29.8	37.3	44.7	52.2	52.2	85.8	22.4
SHAFT LENGTH	in	15 - 20	20	20	15	15	15	15	20	20	20	20	20	20	20	20	25"	20
	cm	38.1 - 50.8	50.8	50.8	38.1	38.1	38.1	38.1	50.8	50.8	50.8	50.8	50.8	50.8	50.8	50.8	63.5	50.8
MAX WEIGHT	lbs	176	200	200	106	121	176	183	143	132	132	183	183	242	242	253	484	183
	kg	80	100	100	48	55	80	83	65	60	60	83	83	110	110	115	220	83
BUILT-IN TANKS																		
GAS	gal	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	19	19	32	N/A
	lt	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	72	72	120	N/A
WATER	gal	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	lt	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
STOWED DIMENSIONS																		
LENGTHXWIDTHXHEIGHT	inch	118x43x18	125x44x33	136x45x18	93x43x18	106x43x18	118x43x18	136x45x18	105x44x19	119x44x19	132x44x19	138x46x26	144x47x32	159x47x32	167x47x32	182x55x32	214x71x38	125x43x37
	cm	300x110x45	317x111x85	345x115x45	235x110x45	270x110x45	300x110x45	345x115x45	266x113x47	302x113x47	334x113x47	350x116x65	365x120x82	405x120x82	425x120x82	463x140x82	544x180x97	315x110x94
RBC DESIGN CATEGORY																		
		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C



10
YEAR WARRANTY

EPA COMPLIANT FUEL TANKS, 7% REDUCTION APPROXIMATELY.

EVERY AB INFLATABLES BOAT IS BACKED BY A 10-YEAR LIMITED WARRANTY.

SEE YOUR DEALER FOR DETAILS.



ISO 9001
BUREAU VERITAS
Certification
CO 22 87424



NMMA
CERTIFIED
by ABYC



CE



Céproof
No Gas Expansion Required



NMMA
Official Boat Show Vendor



ORCA



BAC
Boats & Accessories Company

THE USABLE CAPACITY OF THE FUEL TANK MAY BE LESS THAN THE TANK'S LISTED CAPACITY

LAMMINA AL										LAMMINA UL			
8 AL	9 AL	9.5 AL	10 AL	11 AL	12 AL	13 AL	14 AL	15 AL	16 AL	7.5 UL	8 UL	9 UL	10 UL
8' 5"	9' 1"	9' 6"	10' 6"	11' 6"	12'	13'	14'	15'	16'	7' 10"	8' 5"	9' 1"	10'
2.56	2.76	2.90	3.19	3.50	3.66	3.96	4.27	4.57	4.88	2.39	2.56	2.76	3.05
5' 10"	6' 3"	6' 11"	7' 6"	8' 6"	8' 10"	9' 10"	10' 10"	11' 8"	13' 2"	5' 5"	5' 10"	6' 3"	7' 2"
1.79	1.90	2.11	2.30	2.60	2.70	3.00	3.30	3.55	4.00	1.65	1.79	1.90	2.18
4' 9"	4' 9"	5' 6"	5' 6"	5' 7"	6' 1"	6' 7"	6' 7"	6' 9"	7'	4' 11"	4' 11"	4' 11"	5' 6"
1.45	1.45	1.68	1.68	1.70	1.85	2.00	2.00	2.06	2.14	1.50	1.50	1.50	1.68
2"	2' 2"	2' 6"	2' 8"	2' 8"	2' 11"	3' 3"	3' 3"	3' 4"	3' 6"	2' 2"	2' 2"	2' 3"	2' 8"
0.62	0.66	0.76	0.81	0.81	0.89	0.99	0.99	1.03	1.08	0.66	0.66	0.70	0.81
11.95	13.50	17.26	20.05	22.67	25.87	31.97	35.17	39.36	46.50	11.72	12.72	14.32	19.01
1.11	1.25	1.60	1.86	2.11	2.40	2.97	3.27	3.66	4.32	1.09	1.18	1.33	1.77
15"	15"	17"	17"	17"	17"	18"	19"	19"	20"	16"	15"	15"	17"
0.37	0.37	0.43	0.43	0.43	0.43	0.46	0.48	0.48	0.51	0.41	0.37	0.37	0.43
3	3	3	3	3	3	3	4	5	5	2	2	2	3
4	4	5	5	6	6	7	8	9	10	3	4	4	5
1042	1089	1404	1519	1644	2032	2092	2392	2607	2600	815	882	1036	1300
473	494	637	689	746	922	949	1085	1183	1179	370	400	470	590
										72	77	84	94
										33	35	38	43
99	106	128	143	187	216	264	282	377	421				
45	48	58	65	85	98	120	128	171	191				
4	8	8	10	20	25	30	40	50	50	3	4	8	9.9
3.0	6.0	6.0	7.5	14.9	18.7	22.4	29.8	37.3	37.3	2.2	3.0	6.0	7.4
6	10	15	20	30	30	40	50	60	70	4	5	10	15
4.5	7.5	11.2	14.9	22.4	22.4	29.8	37.3	44.8	52.2	2.9	3.8	7.5	11.2
15	15	15	15	20	20	20	20	20	20	15	15	15	15
38.1	38.1	38.1	38.1	50.8	50.8	50.8	50.8	50.8	50.8	38.1	38.1	38.1	38.1
62	106	121	132	132	183	183	242	242	253	62	62	121	121
28	48	55	60	60	83	83	110	110	115	28	28	55	55
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
91x44x19	96x44x19	105x44x19	119x44x19	132x44x19	138x46x26	144x47x32	159x47x32	167x47x32	182x55x32	86x41x18	91x44x19	96x44x19	119x44x19
231x113x47	245x113x47	266x113x47	302x113x47	334x113x47	350x116x65	365x120x82	405x120x82	425x120x82	463x140x82	218x104x46	231x113x47	245x113x47	302x113x47
C	C	C	C	C	C	C	C	C	C	C*	C	C	C

FEATURES

STANDARD FEATURES |
OPTIONAL FEATURES €

	NAUTILUS								OCEANUS								
	11 DLX	12 DLX	13 DLX	14DLX	15 DLX	17 DLX W/ROCKER BOWRIDER	19 DLX W/ROCKER BOWRIDER	19 DLX+/O W/ROCKER BOWRIDER	12 VST	13 VST	14 VST	15 VST	17 VST	19 VST	21 VST W/ROCKER BOWRIDER*	24 VST W/ROCKER BOWRIDER*	28 VST**
CUP HOLDERS	1	1	1	1	1	1			1	1	1	1	1	1	1	1	
STANDARD IN-HOUSE ELECTRICAL RIGGING	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
INTEGRATED REAR SEAT WITH STORAGE																	
BENCH SEAT WITH STORAGE																	
12 VDC SOCKET & USB - C PORT	1	1	1	1	1	1	1	1					1	1	1	1	1
BOW EYE	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BOW HATCH CUSHION	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BOW RAILS-STAINLESS STEEL	1	1	1	1	1	1	1	1									
BOW SEAT WITH STORAGE	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BOW LOCKER TO FIT A 6 GAL PORTABLE FUEL TANK																	
BOW SEATING W/UPHOLSTERED BACK SUPPORT	1	1	1	1	1	1	1	1									
BOW STEP W/STAINLESS STEEL FOLD DOWN CLEAT	1	1	1	1	1	1	1	1									
BOW STEP W/CUSHION & SS FOLD DOWN CLEAT									1	1	1	1	1	1	1	1	1
BOWRIDER SEATING STYLE						1	1	1					€		1	1	€
LATERAL STAINLESS STEEL CLEATS (FOLD DOWN)	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
CONSOLE -W/SS GRAB HANDLE									1								
CONSOLE WITH SS GRAB RAIL & WINDSHIELD	1	1	1	1	1	1	1	1									
CONSOLE WITH FWD SEAT, WINDSHIELD & SS GRAB RAIL									1	1	1	1	1	1	1	1	1
CONSOLE W/WINDSHIELD & SS GRAB RAIL W/OUT FWD SEAT														1			
CONSOLE W/FWD & LAT SEAT, WINDSHIELD & SS GRAB RAIL									€	€	€	€	€				
COOLER/STORAGE WITH DRAIN (BUILT-IN)		1	1	1	1	1	1	1						1	1		
DAVIT LIFTING RINGS	3	3	3	3	3	3	3	3	4	4	4	4	4	4	€	€	€
FRESH WATER TANK W/SHOWER SYSTEM				1	1	1	1	1					€	1	1	1	1
INTEGRATED ALUMINUM FUEL TANK	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
GRAB HANDLES ON TUBE - STAINLESS STEEL									1	1	1	1	€	1			
HAND PUMP/REPAIR KIT	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
HELM SEAT - STAINLESS STEEL																	
JOCKEY CONSOLE (2 PERSON)																	
LEANING BOLSTER							1							1	1	1	1
COURTESY LIGHTS	1	1	1	1	1	1	1	1					€	1	1	1	1
LED NAVIGATION & LED ANCHOR LIGHTS	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SEADEK® EVA FOAM NON-SKID FLOOR																	
SEADEK® FOAM TEAK (GREY OR BROWN)	€	€	€	€	€	€	€	€	€	€	€	€	€	€	€	€	€
SYNTHETIC TEAK	€	€	€	€	€	€	€	€	€	€	€	€	€	€	€	€	€
NON SKID DECK - DIAMOND SHAPE	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
GAS SPRINGS	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
OARS & OARLOCKS																	
PADDLES																	
SEAT (REMOVABLE)																	
SUNBATHING BED					€	1	1	1					€		€		
TIE DOWN EYES	1	1	1	1	1	1	1	1									
TOWING RINGS - BOW																	
TOWING RINGS - STERN	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
TRANSOM LADDER			€	€	€	1							1	1	1	1	1
T-TOP														€	€	€	€
TUBE CHAPS																	
HYDRAULIC STEERING SYSTEM	€	€	€	1	1	1	1	1	€	€	€	€	1	1	1	1	1
MECHANICAL STEERING SYSTEM	1	1	1						1	1	1	1					
HEIGHT ADJUSTABLE STEERING WHEEL	1	1	1	€	€	1	1	1					€	€	€	€	1
FULLY UPHOLSTERED SEATING-SPRADLING	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1



EVERY AB INFLATABLES BOAT IS BACKED BY A 10-YEAR LIMITED WARRANTY.
SEE YOUR DEALER FOR DETAILS.



FEATURES

STANDARD FEATURES |
OPTIONAL FEATURES €

	MARES			NAVIGO									VENTUS			
	10 VSX	11 VSX	12 VSX	8 VS	9 VS	10 VS	12 VS	13 VS	14 VS	15 VS	17 VS	19 VS	8 VL	9 VL	10 VL	12 VL
CUP HOLDERS	1	1	1													
STANDARD IN-HOUSE ELECTRICAL RIGGING	1	1	1		€	€	€	€	€	€	€	€				
INTEGRATED REAR SEAT WITH STORAGE																
BENCH SEAT WITH STORAGE					€	€	€	€	€	€	€	€				
12 VDC SOCKET & USB - C PORT																
BOW EYE	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BOW HATCH CUSHION	1	1	1	€	€	€	€	€	€	€	€	€				
BOW RAILS-STAINLESS STEEL																
BOW SEAT WITH STORAGE	1	1	1	1	1	1	1	1	1	1	1	1				
BOW LOCKER TO FIT A 6 GAL PORTABLE FUEL TANK		€			€	€	€	€	€							
BOW SEATING W/UPHOLSTERED BACK SUPPORT																
BOW STEP W/STAINLESS STEEL FOLD DOWN CLEAT	€	€	€	€	€	€	€	€	€	€	€	€	€	€	€	€
BOW STEP W/CUSHION & SS FOLD DOWN CLEAT																
BOWRIDER SEATING STYLE																
LATERAL STAINLESS STEEL CLEATS (FOLD DOWN)	€	€	€	€	€	€	€	€	€	€	€	€	€	€	€	€
CONSOLE -W/SS GRAB HANDLE					€	€	€	€	€							
CONSOLE WITH SS GRAB RAIL & WINDSHIELD																
CONSOLE WITH FWD SEAT, WINDSHIELD & SS GRAB RAIL						€	€	€	€	€	€	€				
CONSOLE W/WINDSHIELD & SS GRAB RAIL W/OUT FWD SEAT							€	€	€	€	€	€				
CONSOLE W/FWD & LAT SEAT, WINDSHIELD & SS GRAB RAIL								€	€	€	€	€				
COOLER/STORAGE WITH DRAIN (BUILT-IN)																
DAVIT LIFTING RINGS	4	4	4	4	4	4	4	4	4	4	4	4	3	3	3	3
FRESH WATER TANK W/SHOWER SYSTEM																
INTEGRATED ALUMINUM FUEL TANK														€	€	€
GRAB HANDLES ON TUBE - STAINLESS STEEL																
HAND PUMP/REPAIR KIT	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
HELM SEAT - STAINLESS STEEL						€	€	€	€	€	€	€				
JOCKEY CONSOLE (2 PERSON)							€	€	€	€	€	€				
LEANING BOLSTER																
COURTESY LIGHTS																
LED NAVIGATION & LED ANCHOR LIGHTS	1	1	1		€	€	€	€	€	€	€	€				
SEADEK® EVA FOAM NON-SKID FLOOR													1	1	1	1
SEADEK® FOAM TEAK (GREY OR BROWN)																
SYNTHETIC TEAK	€	€	€													
NON SKID DECK - DIAMOND SHAPE	1	1	1	1	1	1	1	1	1	1	1	1				
GAS SPRINGS	1	1	1													
OARS & OARLOCKS													1	1	1	
PADDLES																1
SEAT (REMOVABLE)													1	1	1	1
SUNBATHING BED																
TIE DOWN EYES																
TOWING RINGS - BOW		1	1										1	1	1	
TOWING RINGS - STERN	2	2	2	2	2	2	2	2	2	2	2	2				
TRANSOM LADDER																
T-TOP																
TUBE CHAPS													€	€	€	€
HYDRAULIC STEERING SYSTEM	€	€	€													
MECHANICAL STEERING SYSTEM	1	1	1													
HEIGHT ADJUSTABLE STEERING WHEEL																
FULLY UPHOLSTERED SEATING-SPRADLING	1	1	1													

FOR ADDITIONAL INFORMATION AND LISTING OF WORLDWIDE DEALERS VISIT US AT **ABINFLATABLES.COM**

FEATURES

STANDARD FEATURES |
OPTIONAL FEATURES €

	ALUMINA								
	9.5 ALX	10 ALX	11 ALX	12 ALX	13 ALX	14 ALX	15 ALX	16 ALX	18 ALX
CUP HOLDERS	1	1	1	1	1	1	1	1	1
STANDARD IN-HOUSE ELECTRICAL RIGGING	1	1	1	1	1	1	1	1	1
INTEGRATED REAR SEAT WITH STORAGE			1	1	1	1	1	1	1
BENCH SEAT WITH STORAGE	1	1							
12 VDC SOCKET & USB - C PORT	1	1	1	1	1	1	1	1	1
BOW EYE	1	1	1	1	1	1	1	1	1
BOW HATCH CUSHION	1	1	1	1	1	1	1	1	1
BOW RAILS-STAINLESS STEEL									
BOW SEAT WITH STORAGE							1	1	1
BOW LOCKER TO FIT A 6 GAL PORTABLE FUEL TANK	1	1	1	1	1	1			
BOW SEATING W/UPHOLSTERED BACK SUPPORT									
BOW STEP W/STAINLESS STEEL FOLD DOWN CLEAT									
BOW STEP W/CUSHION & SS FOLD DOWN CLEAT	1	1	1	1	1	1	1		1
BOWRIDER SEATING STYLE								E	E
LATERAL STAINLESS STEEL CLEATS (FOLD DOWN)	E	E	2	2	2	2	2	2	2
CONSOLE -W/SS GRAB HANDLE	1	1	1	1					
CONSOLE WITH SS GRAB RAIL & WINDSHIELD									
CONSOLE WITH FWD SEAT, WINDSHIELD & SS GRAB RAIL					1	1	1	1	1
CONSOLE W/WINDSHIELD & SS GRAB RAIL W/OUT FWD SEAT									
CONSOLE W/FWD & LAT SEAT, WINDSHIELD & SS GRAB RAIL				E	E	E	E	E	E
COOLER/STORAGE WITH DRAIN (BUILT-IN)									
DAVIT LIFTING RINGS	4	4	4	4	4	4	4	4	4
FRESH WATER TANK W/SHOWER SYSTEM									
INTEGRATED ALUMINUM FUEL TANK							1	1	1
GRAB HANDLES ON TUBE - STAINLESS STEEL									
HAND PUMP/REPAIR KIT	1	1	1	1	1	1	1	1	1
HELM SEAT - STAINLESS STEEL									
JOCKEY CONSOLE (2 PERSON)						E	E	E	E
LEANING BOLSTER									E
COURTESY LIGHTS									
LED NAVIGATION & LED ANCHOR LIGHTS	1	1	1	1	1	1	1	1	1
SEADEK® EVA FOAM NON-SKID FLOOR									
SEADEK® FOAM TEAK (GREY OR BROWN)	1	1	1	1	1	1	1	1	1
SYNTHETIC TEAK									
NON SKID DECK - DIAMOND SHAPE									
GAS SPRINGS	1	1	1	1	1	1	1	1	1
OARS & OARLOCKS									
PADDLES									
SEAT (REMOVABLE)									
SUNBATHING BED									
TIE DOWN EYES			1	1	1	1	1	1	1
TOWING RINGS - BOW	1	1							
TOWING RINGS - STERN	2	2	2	2	2	2	2	2	2
TRANSOM LADDER					1	1	1	1	1
T-TOP									
TUBE CHAPS									
HYDRAULIC STEERING SYSTEM	E	E	E	E	E	E	E	E	1
MECHANICAL STEERING SYSTEM	1	1	1	1	1	1	1	1	
HEIGHT ADJUSTABLE STEERING WHEEL									E
FULLY UPHOLSTERED SEATING-SPRADLING	1	1	1	1	1	1	1	1	1



FEATURES

STANDARD FEATURES |
OPTIONAL FEATURES €

	LAMMINA AL										LAMMINA UL			
	8 AL	9 AL	9.5 AL	10 AL	11 AL	12 AL	13 AL	14 AL	15 AL	16 AL	7.5 UL	8 UL	9 UL	10 UL
CUP HOLDERS														
STANDARD IN-HOUSE ELECTRICAL RIGGING														
INTEGRATED REAR SEAT WITH STORAGE														
BENCH SEAT WITH STORAGE				E	E	E	E	E	E	E				
12 VDC SOCKET & USB - C PORT														
BOW EYE	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BOW HATCH CUSHION														
BOW RAILS-STAINLESS STEEL														
BOW SEAT WITH STORAGE	E	E	E	E	E	E	E	E	E	E				
BOW LOCKER TO FIT A 6 GAL PORTABLE FUEL TANK	E	E	E	E	E	E	E	E	E	E				
BOW SEATING W/UPHOLSTERED BACK SUPPORT														
BOW STEP W/STAINLESS STEEL FOLD DOWN CLEAT			E	E	E	E	E	E	E	E				E
BOW STEP W/CUSHION & SS FOLD DOWN CLEAT														
BOWRIDER SEATING STYLE														
LATERAL STAINLESS STEEL CLEATS (FOLD DOWN)	E	E	E	E	E	E	E	E	E	E				
CONSOLE -W/SS GRAB HANDLE				E	E	E	E	E	E	E				
CONSOLE WITH SS GRAB RAIL & WINDSHIELD														
CONSOLE WITH FWD SEAT, WINDSHIELD & SS GRAB RAIL							E	E	E	E				
CONSOLE W/WINDSHIELD & SS GRAB RAIL W/OUT FWD SEAT					E	E	E	E	E	E				
CONSOLE W/FWD & LAT SEAT, WINDSHIELD & SS GRAB RAIL						E	E	E	E	E				
COOLER/STORAGE WITH DRAIN (BUILT-IN)														
DAVIT LIFTING RINGS	3	3-4	3-4	3-4	3-4	3-4	3-4	3-4	3-4	3-4	3	3	3	3
FRESH WATER TANK W/SHOWER SYSTEM														
INTEGRATED ALUMINUM FUEL TANK														
GRAB HANDLES ON TUBE - STAINLESS STEEL														
HAND PUMP/REPAIR KIT	1	1	1	1	1	1	1	1	1	1	1	1	1	1
HELM SEAT - STAINLESS STEEL				E	E	E	E	E	E	E				
JOCKEY CONSOLE (2 PERSON)					E	E	E	E	E	E				
LEANING BOLSTER														
COURTESY LIGHTS														
LED NAVIGATION & LED ANCHOR LIGHTS					E	E	E	E	E	E				
SEADEK® EVA FOAM NON-SKID FLOOR	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SEADEK® FOAM TEAK (GREY OR BROWN)	E	E	E	E	E	E	E	E	E	E				
SYNTHETIC TEAK														
NON SKID DECK - DIAMOND SHAPE														
GAS SPRINGS														
OARS & OARLOCKS	1	1	1	1							1	1	1	1
PADDLES					1	1	1	1	1	1				
SEAT (REMOVABLE)	1	1	1	1	1	1					1	1	1	1
SUNBATHING BED														
TIE DOWN EYES					1	1	1	1	1	1				
TOWING RINGS - BOW	1	1	1	1										
TOWING RINGS - STERN			2	2	2	2	2	2	2	2				
TRANSOM LADDER														
T-TOP														
TUBE CHAPS	E	E	E	E	E	E	E	E	E	E	E	E	E	E
HYDRAULIC STEERING SYSTEM														
MECHANICAL STEERING SYSTEM				E	E	E	E	E	E	E				
HEIGHT ADJUSTABLE STEERING WHEEL														
FULLY UPHOLSTERED SEATING-SPRADLING				E	E	E	E	E	E	E	E	E	E	E



EVERY AB INFLATABLES BOAT IS BACKED BY A 10-YEAR LIMITED WARRANTY.
SEE YOUR DEALER FOR DETAILS.



FOR ADDITIONAL INFORMATION AND LISTING OF WORLDWIDE DEALERS VISIT US AT **ABINFLATABLES.COM**

FEATURES

STANDARD FEATURES

OPTIONAL FEATURES

FEATURES

STANDARD FEATURES

OPTIONAL FEATURES

ABJET

ABJET 290 S	ABJET 330 S	ABJET 380 S	ABJET 350 XP	ABJET 390 XP	ABJET 430 XP	ABJET 465 XP	ABJET 450 DIESEL		ABJET 290	ABJET 330	ABJET 380	ABJET 350	ABJET 390	ABJET 430 XP	ABJET 465 XP	ABJET 450 DIESEL
INTEGRATED MARINE GRADE ALUMINUM FUEL TANK	⌵	⌵	⌵	⌵	⌵	⌵	⌵	USB PORT	⌵	⌵	⌵	⌵	⌵	⌵	⌵	⌵
DIAMOND NON-SKID DECK	⌵	⌵	⌵	⌵	⌵	⌵	⌵	12 V DC SOCKET	⌵	⌵	⌵	⌵	⌵	⌵	⌵	⌵
REAR SEAT WITH AMPLE STORAGE	⌵	⌵	⌵					CONTROL PANEL (INCLUDES FUEL GAUGE)	⌵		⌵	⌵	⌵	⌵	⌵	
DUAL PILOT SEAT							⌵	YANMAR YD42 DIGITAL GAUGE								⌵
DUAL REAR SEAT (UP TO 4 PEOPLE)				⌵	⌵	⌵	⌵	RAYMARINE AXIOM 7 (7" TOUCH SCREEN MULTIFUNCTION DISPLAY)								⌵
FULLY UPHOLSTERED SEATING-SPRADLING®	⌵	⌵	⌵	⌵	⌵	⌵	⌵									
CONSOLE WITH FORWARD SEAT	⌵	⌵				⌵		SHIFT CONTROL	⌵	⌵	⌵	⌵	⌵	⌵		
CONSOLE WITH FORWARD SEAT AND STORAGE			⌵		⌵			ELECTRONIC SHIFT CONTROL							⌵	
ANODIZED ALUMINUM RETRACTABLE ARMRESTS							⌵	SINGLE LEVER THROTTLE WITH ELECTRONIC CONTROL								⌵
INTEGRATED BOW LOCKER		⌵	⌵	⌵	⌵	⌵	⌵	SS GAS SPRING FOR ENGINE COMPARTMENT	⌵	⌵	⌵		⌵		⌵	⌵
REMOVABLE LATERAL SEAT				⌵	⌵			UNDER-PLATFORM SLIDING SS LADDER	⌵	⌵	⌵	⌵	⌵	⌵	⌵	⌵
EASY PORT & STARBOARD ACCESS	⌵	⌵	⌵	⌵	⌵	⌵	⌵	HAND PUMP & MAINTENANCE KIT	⌵	⌵	⌵	⌵	⌵	⌵	⌵	⌵
STAINLESS STEEL PORT/STARBOARD HAND RAILS	⌵	⌵	⌵					OWNER'S MANUAL	⌵				⌵	⌵		⌵
INTEGRATED STAINLESS STEEL STERN RAILS				⌵	⌵	⌵	⌵	ENGINE	ROTAX R ACE 90 ECT (90 HP)	ROTAX R ACE 90 ECT (90 HP)	ROTAX R ACE 170 ECT (170 HP)	ROTAX R ACE 90 ECT (90 HP)	ROTAX R ACE 170 ECT (170 HP)	ROTAX R ACE 170 ECT (170 HP)	ROTAX R ACE 170 ECT (170 HP)	YANMAR4JH110 (110 HP)
AMPLE ENGINE ACCESS	⌵	⌵	⌵	⌵	⌵	⌵	⌵	CATALYTIC CONVERTER SYSTEM	⌵	⌵		⌵	⌵	⌵	⌵	
STAINLESS STEEL BOW EYE	⌵	⌵	⌵	⌵	⌵	⌵	⌵	MUFFLER & SILENCER	⌵	⌵	⌵	⌵	⌵	⌵	⌵	⌵
FIBERGLASS BOW STEP W/CUSHION & SS FOLDABLE CLEAT		£	⌵	£	⌵	⌵	⌵	SYNTHETIC TEAK	£	£	£	£	£	£	£	£
FIBERGLASS BOW STEP & SS FOLDABLE CLEAT	£							BOAT COVER	£	£	£	£	£	£	£	£
2 STERN STAINLESS STEEL FOLDABLE CLEATS	⌵	⌵	⌵	⌵	⌵	⌵	⌵	SUNBED						£	£	
STAINLESS STEEL DAVIT LIFTING POINTS	3	4	4	3	3	3	3	TELESCOPIC PADDLE	£	£	£	£	£	£	£	£
STAINLESS STEEL SKI-EYE & STERN HAND RAIL	⌵	⌵	⌵					STEREO SYSTEM & COMPASS	£	£	£	£	£	£	£	£
SS REMOVABLE SKI-POLE & STERN HAND RAIL				⌵	⌵	⌵	⌵	GPS CHART PLOTTER/SOUNDER	£	£	£	£	£	£	£	£
BATTERY BOX	⌵	⌵	⌵	⌵	⌵	⌵	⌵	STAINLESS STEEL TIE DOWNS	£	£	£	£	£	£	£	£
RECESSED CUP HOLDERS	⌵	⌵	⌵	⌵	⌵	⌵	⌵	QUICK RELEASE WHEEL	£	£	£	£	£	£	£	⌵
WATER TIGHT ENGINE COMPARTMENT SEAL	⌵	⌵	⌵	⌵	⌵	⌵	⌵	BIMINI KIT	£	£	£	£	£	£	£	£
BOARDING POLE & SOCKETS (PORT & STARBOARD)							⌵	STAINLESS STEEL ANCHOR	£	£	£	£	£	£	£	£
BUILT-IN COOLER / STORAGE WITH DRAIN					⌵	⌵	⌵	NAME ON UPHOLSTERY	£	£	£	£	£	£	£	£
ORCA® (CSM) FABRIC	⌵	⌵	⌵	⌵	⌵	⌵	⌵	NAME ON TUBE	£	£	£	£	£	£	£	£
NON-CORROSIVE PUSH-PUSH INFLATION VALVES	⌵	⌵	⌵	⌵	⌵	⌵	⌵	LED COURTESY LIGHTS	£	£	£	£	£	£	£	£
SINGLE SOLID RUB RAIL	⌵	⌵	⌵	⌵				BATTERY CHARGER	£	£	£	£	£	£	£	£
DOUBLE SOLID RUB RAIL						⌵	⌵	TWIN BATTERY INSTALLATION								£
REINFORCED EXTERNAL SEAMS	⌵	⌵	⌵	⌵	⌵	⌵	⌵	VHF & ANTENNA	£	£	£	£	£	£	£	£
ORCA® (CSM) FABRIC HANDLE ON TUBES		⌵	⌵	⌵	⌵	⌵	⌵	UPHOLSTERY & INFLATABLE TUBE COLOR OPTIONS	£	£	£	£	£	£	£	£
SELF-BAILING DECK SYSTEM WITH NON-RETURN VALVES	⌵	⌵	⌵	⌵	⌵	⌵	⌵	HEIGHT ADJUSTABLE STEERING WHEEL	£	£	£	⌵	⌵	⌵	⌵	⌵
STAINLESS STEEL DRAIN PLUGS	⌵	⌵	⌵	⌵	⌵	⌵	⌵	SINGLE POINT LIFT								£
AUTOMATIC FIRE EXTINGUISHER	⌵	⌵	⌵	⌵	⌵	⌵	⌵	FRESH WATER SYSTEM								£
SAFETY LANYARD SWITCH	⌵	⌵	⌵	⌵	⌵	⌵	⌵									
AUTOMATIC 500 BILGE PUMP	⌵	⌵	⌵	⌵	⌵	⌵	⌵									
AUTOMATIC 750 BILGE PUMP							⌵									
REMOVABLE POLE NAVIGATION LIGHT	⌵	⌵		⌵												
STAINLESS STEEL LED NAVIGATION LIGHT			⌵		⌵	⌵	⌵									
REMOVABLE POLE LED ANCHOR LIGHT	⌵	⌵	⌵	⌵	⌵	⌵	⌵									
POWER REDUCTION KEY			⌵		⌵											
BATTERY SWITCH	⌵	⌵	⌵	⌵	⌵	⌵	⌵									
MAINTENANCE-FREE BATTERY	⌵	⌵	⌵	⌵	⌵	⌵	⌵									
ENGINE COMPARTMENT IN-LINE BLOWER	⌵	⌵	⌵	⌵	⌵	⌵	⌵									
SPORT STEERING WHEEL	⌵		⌵		⌵	⌵	⌵									
MECHANIC STEERING SYSTEM	⌵	⌵	⌵	⌵	⌵	⌵	⌵									
HYDRAULIC STEERING SYSTEM							⌵									
STYLISH ADJUSTABLE STEERING WHEEL							⌵									
COMPLETE TIN WIRING & (HEAD) HEAT SHRINK SEAL TERMINALS	⌵	⌵	⌵	⌵	⌵	⌵	⌵									



EVERY AB INFLATABLES BOAT IS BACKED BY A 10-YEAR LIMITED WARRANTY.
SEE YOUR DEALER FOR DETAILS.



FOR ADDITIONAL INFORMATION AND LISTING OF WORLDWIDE DEALERS VISIT US AT ABINFLATABLES.COM